



S e r m & B a r r



CONTENTS

4

eBarr Family



14

cBarr Family



28

xBarr Family



46

Optionals



TS EN 1645-1 TS EN 1648-1 TS EN 721
TS EN 1949

GET READY TO DISCOVER A NEW WORLD ON EVERY ROAD!

TECHNOLOGY AND INNOVATION

Our caravans, produced with a new generation engineering and modern design approach, incorporate the latest technological developments. Thanks to high-performance and energy-efficient equipment, every moment of your journey will be a pleasure.

COMFORT AND ERGONOMICS

We maximize comfort with spacious interior design, user-friendly furnishings and versatile features. Every detail has been carefully thought out to make your trip as comfortable as home.

SAFETY AND DURABILITY

Our caravans are manufactured in accordance with high safety standards. Thanks to the strong structure, quality materials and advanced safety systems, you can travel safely in all road conditions.

ENVIRONMENTALLY FRIENDLY APPROACH

With an understanding of sustainability, our caravans are produced using environmentally friendly materials that respect nature and allow you to keep your carbon footprint to a minimum. With energy-saving systems, we offer an eco-friendly travel experience.

CUSTOMIZABLE DESIGN

We know that every journey is unique. Our motorhomes offer features that can be personalized according to your needs and style. From color options to interior appointments, we offer a tailor-made experience.



S e r m & B a r r



eBarr

- **420 SK**
- **450 MKS**





Meet the eBarr Family

420 SK



450 MKS





eBarr 420 SK





CHASSIS AND EXTERNAL SHELL

- 1350 KG CHASSIS (AL-KO/KNOTT)
- SHOCK ABSORBER (AL-KO/KNOTT) 2 PCS.
- BRAKE COUPLING SYSTEM (AL-KO/KNOTT)
- CARAVAN SUPPORT FEET (AL-KO/KNOTT) 4 PCS.
- CARAVAN SUPPORT WHEEL 150 KG (AL-KO/KNOTT)
- 85/R14/C CARAVAN RIM TIRE
- ALUMINUM FIBER INSULATED OUTER SHELL
- DYNAMIC LED SIGNALING SYSTEM (JOINT)
- PISTON FRONT TRUNK



WATER SYSTEM

- WATER FILL POINT (ABL)
- CLEAN WATER TANK 70 LITER (FIAMMA)
- CARAVAN SUBMERSIBLE PUMP SYSTEM (REICH/COMET)
- GRAY WATER WASTE SYSTEM
- CLEAN WATER SYSTEM



DOOR, WINDOW, HEKI

- CARAVAN DOOR WITH FLY SCREEN (HARTAL/BERHIMI)
- HEKI (40*40) (MPK/BERHIMI) 1 PC.
- CARAVAN WINDOWS WITH MOSQUITO AND SUNSHARDS (BERHIMI/JARUP)
- 500*900MM 2 PCS.
- 300*700MM 1 PC.
- REFRIGERATOR GRILL COVERS 2 PCS.



FURNITURE AND FLOORING

- MARIN FURNITURE
- DINING TABLE CONVERTIBLE INTO A BED (PER 4 PEOPLE)
- ORTHOPEDIC BUNK BEDS
- WET AREA FURNITURE (BATHROOM)
- CARAVAN TYPE LOCK SYSTEM
- CARAVAN FURNITURE ACCESSORY
- MARINE FLOORING MATERIAL
- HIGH DENSITY UPHOLSTERY AND FABRIC



ELECTRICAL AND LIGHTING SYSTEM

- 13 PIN VEHICLE CONNECTION SOCKET (JOINT)
- 220 V ELECTRICAL ENTRY POINT (ABL)
- FUSE BOX (220V)
- FUSE BOX (12V)
- MAIN SYSTEM BREAKER CONDITIONAL
- CARAVAN SOCKET AND SWITCH SYSTEM
- MARINE ELECTRICAL CABLE SYSTEM
- HIGH HEAT AND IMPACT RESISTANT ELECTRICAL PIPING SYSTEM
- SPOT AND LED LIGHTING SYSTEM



KITCHEN

- 12 V CARAVAN REFRIGERATOR (BERHIMI 100 LT)
- DOUBLE BUBBLE GAS CARAVAN COOKER (CAN)
- SINK TAP (REICH/COMET)
- KITCHEN SINK



BATHROOM

- CASSETTE WC (THETFORD/BERHIMI/FREU CAMP)
- SINK AND SHOWER TAP (REICH/COMET)
- FIBER BATHROOM SHOWER TRAY
- CHROME BATHROOM SINK
- BATHROOM DOOR



HEATING AND GAS SYSTEM

- CARAVAN GAS SPACE HEATER (TRUMA S 2200)
- MONOCONTROL GAS REGULATOR (TRUMA/GOK)
- DOUBLE GAS VALVE (TRUMA/GOK)
- GAS FILTER (TRUMA/GOK)
- HIGH PRESSURE GAS HOSE (TRUMA/GOK)





Technical Specifications

Weight (kg)	1025
Total Length	585 cm
Width (Net-Gross)	220/230 cm
Length (Net-Gross)	420/455 cm
Height (Net-Gross)	198/260 cm
Floor/Wall/Roof	42/32/32 mm
Table Size	70x95 cm
Fixed Bed Size	130x210 cm
Bed Bunk Size	60x210 cm
Table Bed Conversion Size	110x210 cm
Bed Capacity	4



“Technical data may vary depending on packages and options. Arvi Caravan Industry Inc. aims to continuously improve its products. Therefore, it reserves the right to make changes to the described model for technical and/or commercial reasons. Contact Serm&Barr for more information.”



“Technical data may vary depending on packages and options. Arvi Caravan Industry Inc. aims to continuously improve its products. Therefore, it reserves the right to make changes to the described model for technical and/or commercial reasons. Contact Serm&Barr for more information.”



eBarr 450 MKS





CHASSIS AND EXTERNAL SHELL

- 1500 KG CHASSIS (AL-KO/KNOTT)
- SHOCK ABSORBER (AL-KO/KNOTT) 2 PCS.
- BRAKE COUPLING SYSTEM (AL-KO/KNOTT)
- CARAVAN SUPPORT FEET (AL-KO/KNOTT) 4 PCS.
- CARAVAN SUPPORT WHEEL 150 KG (AL-KO/KNOTT)
- 185/R14/C CARAVAN WHEEL RIM TIRE
- ALUMINUM FIBER INSULATED OUTER SHELL
- DYNAMIC LED SIGNALING SYSTEM (JOINT)
- PISTON FRONT TRUNK



WATER SYSTEM

- WATER FILL POINT (ABL)
- CLEAN WATER TANK 70 LITER (FIAMMA)
- CARAVAN SUBMERSIBLE PUMP SYSTEM (REICH/COMET)
- GRAY WATER WASTE SYSTEM
- CLEAN WATER SYSTEM



DOOR, WINDOW, HEKI

- CARAVAN DOOR WITH FLY SCREEN (HARTAL/BERHIMI)
- HEKI (40*40) (MPK/BERHIMI) 1 PC.
- CARAVAN WINDOWS WITH MOSQUITO AND SUNSHARDS (BERHIMI/JARUP)
- 500*900MM 3 PCS.
- REFRIGERATOR GRILL COVERS 2 PCS.



FURNITURE AND FLOORING

- MARIN FURNITURE
- DINING TABLE CONVERTIBLE INTO A BED (PER 4 PEOPLE) ORT-HOPEDIC BED
- WET AREA FURNITURE (BATHROOM)
- CARAVAN TYPE LOCK SYSTEM
- CARAVAN FURNITURE ACCESSORY
- MARINE FLOORING MATERIAL
- HIGH DENSITY UPHOLSTERY AND FABRIC



ELECTRICAL AND LIGHTING SYSTEM

- BATTERY CHARGING INDICATOR
- 13 PIN VEHICLE CONNECTION SOCKET (JOINT)
- 220 V ELECTRICAL ENTRY POINT (ABL)
- FUSE BOX (220V)
- FUSE BOX (12V)
- MAIN SYSTEM BREAKER CONDITIONAL
- CARAVAN SOCKET AND SWITCH SYSTEM
- MARINE ELECTRICAL CABLE SYSTEM
- HIGH HEAT AND IMPACT RESISTANT ELECTRICAL PIPING SYSTEM
- SPOT AND LED LIGHTING SYSTEM



KITCHEN

- 12 V CARAVAN REFRIGERATOR (BERHIMI 85 LT)
- DOUBLE BUBBLE COMBINATION COOKER (CAN)
- SINK TAP (REICH/COMET)
- KITCHEN SINK



BATHROOM


- CASSETTE WC (THETFORD/BERHIMI/FREU CAMP)
- SINK AND SHOWER TAP (REICH/COMET)
- FIBER BATHROOM SHOWER TRAY
- CHROME BATHROOM SINK
- BATHROOM DOOR



HEATING AND GAS SYSTEM

- CARAVAN GAS SPACE HEATER (TRUMA S 3004)
- MONOCONTROL GAS REGULATOR (TRUMA/GOK)
- DOUBLE GAS VALVE (TRUMA/GOK)
- GAS FILTER (TRUMA/GOK)
- HIGH PRESSURE GAS HOSE (TRUMA/GOK)





Technical Specifications

Weight (kg)	1100
Total Length	615 cm
Width (Net-Gross)	220/230 cm
Length (Net-Gross)	450/485 cm
Height (Net-Gross)	198/260 cm
Floor/Wall/Roof	42/32/32 mm
Table Size	70x80 cm
Fixed Bed Size	130x210 cm
Bed Bunk Size	60x210 cm
Table Bed Conversion Size	105x210 cm
Bed Capacity	4



“Technical data may vary depending on packages and options. Arvi Caravan Industry Inc. aims to continuously improve its products. Therefore, it reserves the right to make changes to the described model for technical and/or commercial reasons. Contact Serm&Barr for more information.”



**TURN YOUR DREAM
ROUTE INTO
REALITY!**



S e r m & B a r r



cBarr

- ***450 FSW***
- ***530 FKSW***
- ***540 EU***





Meet the cBarr Family

450 FSW



530 FKS




540 EU






cBarr 450 FSW



 sermbarr

 sermbarrcaravan

 sermbarr



CHASSIS AND OUTER SHELL

- 1500 KG CHASSIS (AL-KO/KNOTT)
- ANTI-SLIP STABILIZER (AL-KO/KNOTT)
- SHOCK ABSORBER (AL-KO/KNOTT) 2 PCS
- BRAKE COUPLING SYSTEM (AL-KO/KNOTT)
- CARAV SUPPORT FEET (AL-KO/KNOTT) 4 PCS.
- CARAVAN SUPPORT WHEEL 150 KG (AL-KO/KNOTT)
- 185/R14/C CARAVAN RIM TIRE
- ALUMINIUM FIBER INSULATED OUTER SHELL
- DYNAMIC LED SIGNAL SYSTEM (JOKON)
- PISTON FRONT TRUNK



WATER SYSTEM

- WATER FILLING POINT (ABL)
- CLEAN WATER TANK 70 LITERS (FIAMMA)
- CARAVAN SUBMERSIBLE PUMP SYSTEM (REICH/COMET)
- GRAY WATER WASTE SYSTEM
- HOT COLD CLEAN WATER SYSTEM



DOOR, WINDOW, HEKI

- CARAVAN DOOR WITH FLY SCREEN (HARTAL/BERHIMI)
- HEKİ (MPK 40*40) 1 PC.
- CARAVAN WINDOWS WITH FLY SCREEN AND SUN SHADE (BERHIMI/JARUP)
- 500*1200 MM 2 PCS.
- 450*500 MM 1 PC.
- REFRIGERATOR WINTER VENT COVERS 2 PCS.



FURNITURE AND FLOORING

- MARINE FURNITURE
- CONVERTABLE DINING TABLE (4 PERSONS)
- ORTHOPAEDIC BED
- WET VOLUME FURNITURE (BATHROOM)
- CARAVAN TYPE LOCK SYSTEM
- CARAVAN FURNITURE ACCESSORY
- MARINE FLOORING MATERIAL
- HIGH DENSITY FLOORING AND FABRIC



ELECTRICAL AND LIGHTING SYSTEM

- CARAVAN CONTROL PANEL
- 13 PIN VEHICLE CONNECTION SOCKET (JOKON)
- 220 V ELECTRICAL INPUT POINT (ABL)
- 70A GEL LIFE BATTERY (DEEP CYCLE)
- BATTERY CHARGER
- FUSE BOX (220 V)
- FUSE BOX (12 V)
- MAIN SYSTEM CUTTER SWITCH
- CARAVAN SOCKET AND SWITCH SYSTEM
- MARINE ELECTRICAL CABLE SYSTEM
- SPOT AND LED LIGHTING SYSTEM
- HIGH HEAT AND IMPACT RESISTANT ELECTRICAL PIPE SYSTEM



KITCHEN

- 12 V CARAVAN REFRIGERATOR (BERHIMI 100 LT)
- TWO-BURNER GAS CARAVAN COOKER (CAN)
- HOT-COLD SINK TAP (REICH/COMET)
- KITCHEN SINK



BATHROOM

- CASSETTE WC (THETFORD/BERHIMI/FREU CAMP)
- SINK TAP HOT-COLD (REICH/COMET)
- SHOWER SET (REICH/COMET)
- FIBER BATHROOM SHOWER TRAYS
- ALUMINIUM SHOWER CABIN DOOR
- CHROME BATHROOM SINK
- BATHROOM DOOR



HEATING AND GAS SYSTEM


- CARAVAN GAS AIR HEATER (TRUMA) S 3004)
- WATER HEATER (TRUMA THERME 5 LT)
- MONOCONTROL GAS REGULATOR (TRUMA/GOK)
- 2-GAS VALVE (TRUMA/GOK)
- GAS FILTER (TRUMA/GOK)
- HIGH PRESSURE GAS HOSE (TRUMA/GOK)






Technical Specifications

Weight (kg)	1190
Total Length	615 cm
Width (Net-Gross)	220/230 cm
Length (Net-Gross)	450/485 cm
Height (Net-Gross)	198/260 cm
Floor/Wall/Roof	42/32/32 mm
Table Size	72x82 cm
Fixed Bed Size	138x198 cm
Table Bed Conversion Size	110x210 cm
Bed Capacity	4



“Technical data may vary depending on packages and options. Arvi Caravan Industry Inc. aims to continuously improve its products. Therefore, it reserves the right to make changes to the described model for technical and/or commercial reasons. Contact Serm&Barr for more information.”


 **cBarr 450 FSW**





“Technical data may vary depending on packages and options. Arvi Caravan Industry Inc. aims to continuously improve its products. Therefore, it reserves the right to make changes to the described model for technical and/or commercial reasons. Contact Serm&Barr for more information.”




cBarr 530 FKSW



 sermbarr

 sermbarrcaravan

 sermbarr



CHASSIS AND OUTER SHELL

- 1800 KG CHASSIS (AL-KO/KNOTT)
- ANTI-SLIP STABILIZER (AL-KO/KNOTT)
- SHOCK ABSORBER (AL-KO/KNOTT) 2 PCS.
- BRAKE COUPLING SYSTEM (AL-KO/KNOTT)
- CARAV SUPPORT FEET (AL-KO/KNOTT) 4 PCS.
- CARAVAN SUPPORT WHEEL 150 KG (AL-KO/KNOTT)
- 185/R14/C CARAVAN RIM TIRE
- ALUMINIUM FIBER INSULATED OUTER SHELL
- DYNAMIC LED SIGNAL SYSTEM (JOKON)
- PISTON FRONT TRUNK



WATER SYSTEM

- WATER FILLING POINT (ABL)
- CLEAN WATER TANK 70 LITERS (FIAMMA)
- CARAVAN SUBMERSIBLE PUMP SYSTEM (REICH/COMET)
- GRAY WATER WASTE SYSTEM
- HOT COLD CLEAN WATER SYSTEM



DOOR, WINDOW, HEKI

- CARAVAN DOOR (HARTAL/BERHIMI)
- HEKI 40*40 MPK/BERHIMI 2 PCS.
- CARAVAN WINDOWS (JARUP/BERHIMI)
- 500*1200 MM 2 PCS.
- 450*500 MM 1 PC.
- 300*700 MM 2 PCS.



FURNITURE AND FLOORING

- MARINE FURNITURE
- CONVERTABLE DINING TABLE (4 PERSONS)
- ORTHOPAEDIC BED
- WET VOLUME FURNITURE (BATHROOM)
- CARAVAN TYPE LOCK SYSTEM
- CARAVAN FURNITURE ACCESSORY
- MARINE FLOORING MATERIAL
- HIGH DENSITY FLOORING AND FABRIC



ELECTRICAL AND LIGHTING SYSTEM

- CARAVAN CONTROL PANEL
- 13 PIN VEHICLE CONNECTION SOCKET (JOKON)
- 220 V ELECTRICAL INPUT POINT (ABL)
- 70A GEL LIFE BATTERY (DEEP CYCLE)
- BATTERY CHARGER
- FUSE BOX (220 V)
- FUSE BOX (12 V)
- MAIN SYSTEM CUTTER SWITCH
- CARAVAN SOCKET AND SWITCH SYSTEM
- MARINE ELECTRICAL CABLE SYSTEM
- SPOT AND LED LIGHTING SYSTEM
- HIGH HEAT AND IMPACT RESISTANT ELECTRICAL PIPE SYSTEM



KITCHEN

- 12 V CARAVAN REFRIGERATOR (150 LT- BERHIMI COLD 150)
- DOUBLE BURNER GAS CARAVAN COOKER (CAN)
- HOT-COLD SINK TAP (REICH/COMET)
- KITCHEN SINK



HEATING AND GAS SYSTEM

- CARAVAN GAS AIR HEATER (TRUMA) S 3004)
- WATER HEATER (TRUMA THERME 5 LT)
- MONOCONTROL GAS REGULATOR (TRUMA/GOK)
- 2-GAS VALVE (TRUMA/GOK)
- GAS FILTER (TRUMA/GOK)
- HIGH PRESSURE GAS HOSE (TRUMA/GOK)



BATHROOM

- CASSETTE WC (THETFORD/BERHIMI/FREU CAMP)
- SINK TAP HOT-COLD (REICH/COMET)
- SHOWER SET (REICH/COMET)
- FIBER BATHROOM SHOWER TRAYS
- ALUMINIUM SHOWER CABIN DOOR
- CHROME BATHROOM SINK
- BATHROOM DOOR





Technical Specifications

Weight (kg)	1390
Total Length	695 cm
Width (Net-Gross)	220/230 cm
Length (Net-Gross)	530/565 cm
Height (Net-Gross)	198/260 cm
Floor/Wall/Roof	42/32/32 mm
Table Size	70x80 cm
Fixed Bed Size	138x198 cm
Bunk Bed Size 2 pcs.	70x210 cm
Table Bed Conversion Size	105x210 cm
Bed Capacity	6



“Technical data may vary depending on packages and options. Arvi Caravan Industry Inc. aims to continuously improve its products. Therefore, it reserves the right to make changes to the described model for technical and/or commercial reasons. Contact Serm&Barr for more information.”




“Technical data may vary depending on packages and options. Arvi Caravan Industry Inc. aims to continuously improve its products. Therefore, it reserves the right to make changes to the described model for technical and/or commercial reasons. Contact Serm&Barr for more information.”




cBarr 540 EU



 [sermbarr](#)

 [sermbarrcaravan](#)

 [sermbarr](#)



CHASSIS AND OUTER SHELL

- 1800 KG CHASSIS (AL-KO/KNOTT)
- ANTI-SLIP STABILIZER (AL-KO/KNOTT)
- SHOCK ABSORBER (AL-KO/KNOTT) 2 PCS.
- BRAKE COUPLING SYSTEM (AL-KO/KNOTT)
- CARAV SUPPORT FEET (AL-KO/KNOTT) 4 PCS.
- CARAVAN SUPPORT WHEEL 150 KG (AL-KO/KNOTT)
- 185/R14/C CARAVAN RIM TIRE
- ALUMINIUM FIBER INSULATED OUTER SHELL
- DYNAMIC LED SIGNAL SYSTEM (JOKON)
- FRONT TRUNK WITH PISTON



WATER SYSTEM

- WATER FILLING POINT (ABL)
- CLEAN WATER TANK 70 LITERS (FIAMMA)
- CARAVAN SUBMERSIBLE PUMP SYSTEM (REICH/COMET)
- GRAY WATER WASTE SYSTEM
- HOT COLD CLEAN WATER SYSTEM



DOOR, WINDOW, HEKI

- CARAVAN DOOR WITH FLY SCREEN (HARTAL/BERHIMI)
- HEKİ (MPK 40*40) 2 PCS.
- CARAVAN WINDOWS WITH FLY SCREEN AND SUN SHADE (BERHIMI/JARUP)
- 500*900 MM 3 PCS
- 500*1200 MM 1 PC.
- 450*500 MM 1 PC.
- REFRIGERATOR WINTER VENT COVERS 2 PCS.



FURNITURE AND FLOORING

- MARINE FURNITURE
- DINING TABLE THAT CAN BE TRANSFORMED INTO A BED (FOR 4 PEOPLE)
- ORTHOPAEDIC BED 2 PCS.
- WET AREA FURNITURE (BATHROOM)
- CARAVAN TYPE LOCK SYSTEM
- CARAVAN FURNITURE ACCESSORY
- MARINE FLOORING MATERIAL
- HIGH DENSITY FLOORING AND FABRIC



ELECTRICAL AND LIGHTING SYSTEM

- CARAVAN CONTROL PANEL
- 13 PIN VEHICLE CONNECTION SOCKET (JOKON)
- 220 V ELECTRICAL INPUT POINT (ABL)
- 70A GEL LIFE BATTERY (DEEP CYCLE)
- BATTERY CHARGER
- FUSE BOX (220 V)
- FUSE BOX (12 V)
- MAIN SYSTEM CUTTER SWITCH
- CARAVAN SOCKET AND SWITCH SYSTEM
- MARINE ELECTRICAL CABLE SYSTEM
- SPOT AND LED LIGHTING SYSTEM
- HIGH HEAT AND IMPACT RESISTANT ELECTRICAL PIPE SYSTEM



KITCHEN

- 12 V CARAVAN REFRIGERATOR (150 LT- BERHIMI COLD 150)
- DOUBLE BURNER GAS CARAVAN COOKER (CAN)
- HOT-COLD SINK TAP (REICH/COMET)
- KITCHEN SINK




BATHROOM

- CASSETTE WC (THETFORD/BERHIMI/FREU CAMP)
- SINK TAP HOT-COLD (REICH/COMET)
- SHOWER SET (REICH/COMET)
- FIBER BATHROOM SHOWER BOAT
- ALUMINIUM SHOWER CABIN DOOR
- CHROME BATHROOM SINK
- BATHROOM DOOR



HEATING AND GAS SYSTEM

- CARAVAN GAS AIR HEATER (TRUMA) S 3004)
- WATER HEATER (TRUMA THERME 5 LT)
- MONOCONTROL GAS REGULATOR (TRUMA/GOK)
- 2-GAS VALVE (TRUMA/GOK)
- GAS FILTER (TRUMA/GOK)
- HIGH PRESSURE GAS HOSE (TRUMA/GOK)





Technical Specifications

Weight (kg)	1410
Total Length	705 cm
Width (Net-Gross)	220/230 cm
Length (Net-Gross)	540/575 cm
Height (Net-Gross)	198/260 cm
Floor/Wall/Roof	42/32/32 mm
Table Size	80x80 cm
Fixed Bed Size	90x195 cm
Table Bed Conversion Size	130x210 cm
Bed Capacity	4



“Technical data may vary depending on packages and options. Arvi Caravan Industry Inc. aims to continuously improve its products. Therefore, it reserves the right to make changes to the described model for technical and/or commercial reasons. Contact Serm&Barr for more information.”



SS

**ARE YOU READY
FOR AN
EXCLUSIVE TRAVEL
EXPERIENCE?**



S e r m & B a r r



xBarr

- ***500 FUW***
- ***580 FUDW***
- ***590 QUW***
- ***620 QUW***





Meet the xBarr Family

500 FUW



580 FUDW



590 QUW



620 QUW





xBarr 500 FUW



CHASSIS AND OUTER SHELL

- 1500 KG CHASSIS (AL-KO/KNOTT)
- ANTI-SLIP STABILIZER (AL-KO/KNOTT)
- SHOCK ABSORBER (AL-KO/KNOTT) 2 PCS.
- BRAKE COUPLING SYSTEM (AL-KO/KNOTT)
- PREMIUM CARAVAN SUPPORT FEET (AL-KO/KNOTT) 4 PCS.
- CARAVAN SUPPORT WHEEL 150 KG (AL-KO/KNOTT)
- 185/R14/C CARAVAN RIM TIRE
- ALUMINIUM FIBER INSULATED OUTER SHELL
- DYNAMIC LED SIGNAL SYSTEM (JOKON)
- FRONT TRUNK WITH PISTON

DOOR, WINDOW, HEKI, SERVICE COVER

- CARAVAN DOOR WITH FLY SCREEN (HARTAL/BERHIMI)
- HEKI (MPK 50*70) 1 PC.
- HEKI (MPK 40*40) 1 PC.
- CARAVAN WINDOWS WITH FLY SCREEN AND SUN SHADE (BERHIMI/JARUP)
- 600*1250 MM 1 PC.
- 550*1100 MM 3 PCS.
- 360*720 MM 1 PC.
- 450*500 MM 1 PC.
- REFRIGERATOR WINTER VENTS COVERS 2 PCS.
- SERVICE COVER 7 (THETFORD)

ELECTRICAL AND LIGHTING SYSTEM

- CARAVAN CONTROL PANEL
- 13 PIN VEHICLE CONNECTION SOCKET (JOKON)
- 220 V ELECTRICAL INPUT POINT (ABL)
- 100A GEL LIFE BATTERY (DEEP CYCLE)
- BATTERY CHARGER
- FUSE BOX (220 V)
- FUSE BOX (12 V)
- MAIN SYSTEM CUTTER SWITCH
- CARAVAN SOCKET AND SWITCH SYSTEM
- MARINE ELECTRICAL CABLE SYSTEM
- SPOT AND LED LIGHTING SYSTEM
- HIGH HEAT AND IMPACT RESISTANT ELECTRICAL PIPE SYSTEM
- READING LAMP 2 PCS.

HEATING AND GAS SYSTEM

- CARAVAN GAS AIR HEATER (TRUMA COMBI 4)
- MONOCONTROL GAS REGULATOR (TRUMA/GOK)
- 3-WAY GAS VALVE (TRUMA/GOK)
- GAS FILTER (TRUMA/GOK)
- HIGH PRESSURE GAS HOSE (TRUMA/GOK)
- GAS ALARM DEVICE

WATER SYSTEM

- WATER FILLING POINT (ABL)
- CLEAN WATER TANK 70 LITRES (FIAMMA)
- CARAVAN SUBMERSIBLE PUMP SYSTEM (REICH/COMET)
- GRAY WATER WASTE SYSTEM
- HOT COLD CLEAN WATER SYSTEM

FURNITURE AND FLOORING

- TELESCOPIC TABLE LEG (ILSE)
- CARAVAN FABRIC CURTAIN PACKAGE
- CARAVAN FABRIC PACKAGE
- DINING TABLE (FOR 4)
- ORTHOPAEDIC BED
- WET AREA FURNITURE (BATHROOM)
- CARAVAN TYPE LOCK SYSTEM
- CARAVAN FURNITURE ACCESSORY
- MARINE FLOORING MATERIAL
- HIGH DENSITY FLOORING AND FABRIC
- ACCORDION SEPARATOR CURTAIN SYSTEM
- PISTON FRENCH BED MECHANISM

KITCHEN

- 12 V CARAVAN REFRIGERATOR (150 LT- BERHIMI COLD 150)
- THREE-BURNER GAS CARAVAN COOKER
- TRIANGLE GLASS LID SINK (THETFORD BLACK)
- HOT-COLD SINK TAP (REICH/COMET)

BATHROOM

- CASSETTE CARAVAN WC (THETFORD)
- SINK TAP HOT-COLD (REICH/COMET)
- SHOWER SET (REICH/COMET)
- FIBER BATHROOM SHOWER TRAY
- ALUMINIUM SHOWER CABIN DOOR
- CHROME BATHROOM SINK
- BATHROOM DOOR





Technical Specifications

Weight (kg)	1290
Total Length	665 cm
Width (Net-Gross)	220/230 cm
Length (Net-Gross)	500/535 cm
Height (Net-Gross)	198/260 cm
Floor/Wall/Roof	42/32/32 mm
Table Size	75x85 cm
Fixed Bed Size	138x198 cm
Table Bed Conversion Size	135x210 cm
Bed Capacity	4

“Technical data may vary depending on packages and options. Arvi Caravan Industry Inc. aims to continuously improve its products. Therefore, it reserves the right to make changes to the described model for technical and/or commercial reasons. Contact Serm&Barr for more information.”



“Technical data may vary depending on packages and options. Arvi Caravan Industry Inc. aims to continuously improve its products. Therefore, it reserves the right to make changes to the described model for technical and/or commercial reasons. Contact Serm&Barr for more information.”



xBarr 580 FUDW





xBarr 580 FUDW



CHASSIS AND OUTER SHELL

- 1800 KG CHASSIS (AL-KO/KNOTT)
- ANTI-SLIP STABILIZER (AL-KO/KNOTT)
- SHOCK ABSORBER (AL-KO/KNOTT) 2 PCS.
- BRAKE COUPLING SYSTEM (AL-KO/KNOTT)
- PREMIUM CARAVAN SUPPORT FEET (AL-KO/KNOTT) 4 PCS.
- CARAVAN SUPPORT WHEEL 150 KG (AL-KO/KNOTT)
- 185/R14/C CARAVAN RIM TIRE
- ALUMINIUM FIBER INSULATED OUTER SHELL
- DYNAMIC LED SIGNAL SYSTEM (JOKON)
- FRONT TRUNK WITH PISTON



WATER SYSTEM

- WATER FILLING POINT (ABL)
- CLEAN WATER TANK 70 LITRES (FIAMMA)
- CARAVAN SUBMERSIBLE PUMP SYSTEM (REICH/COMET)
- GRAY WATER WASTE SYSTEM
- HOT COLD CLEAN WATER SYSTEM



DOOR, WINDOW, HEKI, SERVICE COVER

- CARAVAN DOOR WITH FLY SCREEN (HARTAL/BERHIMI)
- HEKI (MPK 50*70) 1 PC.
- HEKI (MPK 40*40) 1 PC.
- CARAVAN WINDOWS WITH FLY SCREEN AND SUN SHADE (BERHIMI/JARUP)
- 600*1250 MM 1 PC.
- 550*1100 MM 3 PCS.
- 360*720 MM 1 PC.
- 450*500 MM 1 PC.
- REFRIGERATOR WINTER VENTS COVERS 2 PCS.
- SERVICE COVER 7 (THETFORD)



FURNITURE AND FLOORING

- TELESCOPIC TABLE LEG (ILSE)
- CARAVAN FABRIC CURTAIN PACKAGE
- CARAVAN FABRIC PACKAGE
- DINING TABLE THAT CAN BE CONVERTED INTO A BED (FOR 4)
- ORTHOPAEDIC BED
- WET AREA FURNITURE (BATHROOM)
- CARAVAN TYPE LOCK SYSTEM
- CARAVAN FURNITURE ACCESSORY
- MARINE FLOORING MATERIAL
- HIGH DENSITY FLOORING AND FABRIC
- ACCORDION DIVIDER CURTAIN SYSTEM
- PISTON FRENCH BED MECHANISM



ELECTRICAL AND LIGHTING SYSTEM

- CARAVAN CONTROL PANEL
- 13 PIN VEHICLE CONNECTION SOCKET (JOKON)
- 220 V ELECTRICAL INPUT POINT (ABL)
- 100A GEL LIFE BATTERY (DEEP CYCLE)
- BATTERY CHARGER
- FUSE BOX (220 V)
- FUSE BOX (12 V)
- MAIN SYSTEM CUTTER SWITCH
- CARAVAN SOCKET AND SWITCH SYSTEM
- MARINE ELECTRICAL CABLE SYSTEM
- SPOT AND LED LIGHTING SYSTEM
- HIGH HEAT AND IMPACT RESISTANT ELECTRICAL PIPE SYSTEM
- READING LAMP 2 PCS.



KITCHEN

- 12 V CARAVAN REFRIGERATOR (150 LT- BERHIMI COLD 150)
- GAS TRIPLEX OVEN AND THREE BURNER COOKER (THETFORD-TRIPLEX)
- GLASS COVER SINK (THETFORD BLACK)
- HOT-COLD SINK TAP (REICH/COMET)



BATHROOM

- CASSETTE CARAVAN WC (THETFORD)
- SINK TAP HOT-COLD (REICH/COMET)
- SHOWER SET (REICH/COMET)
- FIBER BATHROOM SHOWER TRAYS
- ALUMINUM SHOWER CABIN DOOR
- CHROME BATHROOM SINK
- BATHROOM DOOR



HEATING AND GAS SYSTEM

- CARAVAN GAS AIR HEATER (TRUMA S 3004)
- BOILER GAS WATER HEATER (TRUMA B10-10 LT)
- MONOCONTROL GAS REGULATOR (TRUMA/GOK)
- 3-WAY GAS VALVE (TRUMA/GOK)
- GAS FILTER (TRUMA/GOK)
- HIGH PRESSURE GAS HOSE (TRUMA/GOK)
- GAS ALARM DEVICE



Serm & Barr

“Technical data may vary depending on packages and options. Arvi Caravan Industry Inc. aims to continuously improve its products. Therefore, it reserves the right to make changes to the described model for technical and/or commercial reasons. Contact Serm&Barr for more information.”



Technical Specifications

Weight (kg)	1480
Total Length	745 cm
Width (Net-Gross)	220/230 cm
Length (Net-Gross)	580/615 cm
Height (Net-Gross)	198/260 cm
Floor/Wall/Roof	42/32/32 mm
Table Size	80x80 cm
Fixed Bed Size	138x198 cm
Table Bed Conversion Size	140x210 cm
Bed Capacity	4

“Technical data may vary depending on packages and options. Arvi Caravan Industry Inc. aims to continuously improve its products. Therefore, it reserves the right to make changes to the described model for technical and/or commercial reasons. Contact Serm&Barr for more information.”

SxBarr 580 FUDW



“Technical data may vary depending on packages and options. Arvi Caravan Industry Inc. aims to continuously improve its products. Therefore, it reserves the right to make changes to the described model for technical and/or commercial reasons. Contact Serm&Barr for more information.”



xBarr 590 QUW





CHASSIS AND OUTER SHELL

- 1800 KG CHASSIS (AL-KO/KNOTT)
- ANTI-SLIP STABILIZER (AL-KO/KNOTT)
- SHOCK ABSORBER (AL-KO/KNOTT) 2 PCS..
- BRAKE COUPLING SYSTEM (AL-KO/KNOTT)
- PREMIUM CARAVAN SUPPORT FEET (AL-KO/KNOTT) 2 PCS.
- CARAVAN SUPPORT WHEEL 150 KG (AL-KO/KNOTT)
- 185/R14/C CARAVAN RIM TIRE
- ALUMINIUM FIBER INSULATED OUTER SHELL
- DYNAMIC LED SIGNAL SYSTEM (JOKON)
- PISTON FRONT TRUNK



WATER SYSTEM

- WATER FILLING POINT (ABL)
- CLEAN WATER TANK 70 LITRES (FIAMMA)
- CARAVAN SUBMERSIBLE PUMP SYSTEM (REICH/COMET)
- GRAY WATER WASTE SYSTEM
- HOT COLD CLEAN WATER SYSTEM



DOOR, WINDOW, HEKI, SERVICE COVER

- CARAVAN DOOR WITH FLY SCREEN (HARTAL/BERHIMI)
- HEKI (MPK 50*70) 1 PC.
- HEKI (MPK 40*40) 2 PCS.
- CARAVAN WINDOWS WITH FLY SCREEN AND SUN SHADE (BERHIMI/JARUP)
- 600*1250 MM 1 PC.
- 550*1100 MM 3 PCS.
- 450*500 MM 1 PC.
- 360*720 MM 1 PC.
- REFRIGERATOR VENTS (WITH WINTER COVER ADDED) 2 PCS.
- SERVICE COVER 7 (THETFORD)



FURNITURE AND FLOORING

- FOLDABLE ISLAND BED MECHANISM
- ACCORDION PARTIAL CURTAIN SYSTEM
- MARINE FURNITURE
- CARAVAN FABRIC CURTAIN PACKAGE
- CARAVAN FABRIC PACKAGE
- DINING TABLE THAT CAN BE CONVERTED INTO A BED (FOR 4)
- ORTHOPAEDIC BED
- WET AREA FURNITURE (BATHROOM)
- CARAVAN TYPE LOCK SYSTEM
- CARAVAN FURNITURE ACCESSORY
- MARINE FLOORING MATERIAL
- HIGH DENSITY FLOORING AND FABRIC
- UNTER-BASED SLIDING BOTTLE BOX



ELECTRICAL AND LIGHTING SYSTEM

- CARAVAN CONTROL PANEL
- 13 PIN VEHICLE CONNECTION SOCKET (JOKON)
- 220 V ELECTRICAL INPUT POINT (ABL)
- 100A GEL LIFE BATTERY (DEEP CYCLE)
- BATTERY CHARGER
- FUSE BOX (220 V)
- FUSE BOX (12 V)
- MAIN SYSTEM CUTTER SWITCH
- CARAVAN SOCKET AND SWITCH SYSTEM
- MARINE ELECTRICAL CABLE SYSTEM
- SPOT AND LED LIGHTING SYSTEM
- HIGH HEAT AND IMPACT RESISTANT ELECTRICAL PIPE SYSTEM
- READING LAMP



KITCHEN

- GAS TRIPLEX OVEN AND THREE-BURNER COVER (THETFORD-TRIPLEX)
- GLASS LID SINK (THETFORD BLACK)
- 12 V CARAVAN REFRIGERATOR (150 LT-BERHIMI COLD 150)
- HOT-COLD SINK TAP (REICH/COMET)



BATHROOM

- CASSETTE CARAVAN WC (THETFORD)
- CHROME BATHROOM SINK
- FIBER BATHROOM SHOWER TRAY
- ALUMINIUM SHOWER DOOR
- SINK TAP HOT-COLD (REICH/COMET)
- SHOWER SET (REICH / COMET)
- MAGNETIC BATHROOM DOOR



HEATING AND GAS SYSTEM


- CARAVAN GAS AIR-WATER HEATING SYSTEM (TRUMA COMBI 4)
- MONOCONTROL CS REGULATOR (TRUMA/GOK)
- GAS VALVE 3-WAY (TRUMA/GOK)
- GAS FILTER (TRUMA/GOK)
- HIGH PRESSURE GAS HOSE (TRUMA/GOK)
- GAS ALARM DEVICE





Technical Specifications

Weight (kg)	1530
Total Length	755 cm
Width (Net-Gross)	220/230 cm
Length (Net-Gross)	590/625 cm
Height (Net-Gross)	198/260 cm
Floor/Wall/Roof	42/32/32 mm
Table Size	80x80 cm
Fixed Bed Size	143x202 cm
Table Bed Conversion Size	140x210 cm
Bed Capacity	4



“Technical data may vary depending on packages and options. Arvi Caravan Industry Inc. aims to continuously improve its products. Therefore, it reserves the right to make changes to the described model for technical and/or commercial reasons. Contact Serm&Barr for more information.”



“Technical data may vary depending on packages and options. Arvi Caravan Industry Inc. aims to continuously improve its products. Therefore, it reserves the right to make changes to the described model for technical and/or commercial reasons. Contact Serm&Barr for more information.”



xBarr 620 QUW





CHASSIS AND OUTER SHELL

- 1800 KG CHASSIS (AL-KO/KNOTT)
- ANTI-SLIP STABILIZER (AL-KO/KNOTT)
- SHOCK ABSORBER (AL-KO/KNOTT) 2 PCS.
- BRAKE COUPLING SYSTEM (AL-KO/KNOTT)
- PREMIUM CARAVAN SUPPORT FEET (AL-KO/KNOTT) 4 PCS.
- CARAVAN SUPPORT WHEEL 150 KG (AL-KO/KNOTT)
- 185/R14/C CARAVAN RIM TIRE
- ALUMINIUM FIBER INSULATED OUTER SHELL
- DYNAMIC LED SIGNAL SYSTEM (JOKON)
- FRONT TRUNK WITH PISTON



WATER SYSTEM

- WATER FILLING POINT (ABL)
- CLEAN WATER TANK 70 LITRES (FIAMMA)
- CARAVAN SUBMERSIBLE PUMP SYSTEM (REICH/COMET)
- GRAY WATER WASTE SYSTEM
- HOT COLD CLEAN WATER SYSTEM



DOOR, WINDOW, HEKI, SERVICE COVER

- CARAVAN DOOR WITH FLY SCREEN (HARTAL/BERHIMI)
- HEKI (MPK 50*70) 1 PC.
- HEKI (MPK 40*40) 2 PCS.
- CARAVAN WINDOWS WITH FLY SCREEN AND SUN SHADE (BERHIMI/JARUP)
- 600*1250 MM 1 PC.
- 550*1100 MM 4 PCS.
- 450*500 MM 1 PC.
- 360*720 MM 1 PC.
- REFRIGERATOR VENTS 2 PCS. (WITH WINTER COVER ADDED)
- SERVICE COVER 7 (THETFORD)



FURNITURE AND FLOORING

- FOLDABLE ISLAND BED MECHANISM
- ACCORDION SERVITOR CURTAIN SYSTEM
- MARINE FURNITURE
- CARAVAN FABRIC CURTAIN PACKAGE
- CARAVAN FABRIC PACKAGE
- DINING TABLE THAT CAN BE CONVERTED INTO A BED (FOR 4)
- ORTHOPAEDIC BED
- WET AREA FURNITURE (BATHROOM)
- CARAVAN TYPE LOCK SYSTEM
- CARAVAN FURNITURE ACCESSORY
- MARINE FLOORING MATERIAL
- HIGH DENSITY FLOORING AND FABRIC
- UNDER-COUNTER SLIDING BOTTLE BOX



ELECTRICAL AND LIGHTING SYSTEM

- CARAVAN CONTROL PANEL
- 13 PIN VEHICLE CONNECTION SOCKET (JOKON)
- 220 V ELECTRICAL INPUT POINT (ABL)
- 100A GEL LIFE BATTERY (DEEP CYCLE)
- BATTERY CHARGER
- FUSE BOX (220 V)
- FUSE BOX (12 V)
- MAIN SYSTEM CUTTER SWITCH
- CARAVAN SOCKET AND SWITCH SYSTEM
- MARINE ELECTRICAL CABLE SYSTEM
- SPOT AND LED LIGHTING SYSTEM
- HIGH HEAT AND IMPACT RESISTANT ELECTRICAL PIPE SYSTEM
- READING LAMP 4 PCS.



KITCHEN

- GAS TRIPLEX OVEN AND THREE-BURNER COVER (THETFORD-TRIPLEX)
- GLASS LID SINK (THETFORD BLACK)
- 12 V CARAVAN REFRIGERATOR (150 LT-BERHIMI COLD 150)
- HOT-COLD SINK TAP (REICH/COMET)



BATHROOM

- CASSETTE CARAVAN WC (THETFORD)
- CHROME BATHROOM SINK
- FIBER BATHROOM SHOWER TRAY
- ALUMINIUM SHOWER DOOR
- SINK TAP HOT-COLD (REICH/COMET)
- SHOWER SET (REICH / COMET)
- MAGNETIC BATHROOM DOOR



HEATING AND GAS SYSTEM

- CARAVAN GAS AIR-WATER HEATING SYSTEM (TRUMA COMBI 4)
- MONOCONTROL CS REGULATOR (TRUMA/GOK)
- GAS VALVE 3-WAY (TRUMA/GOK)
- GAS FILTER (TRUMA/GOK)
- HIGH PRESSURE GAS HOSE (TRUMA/GOK)
- GAS ALARM DEVICE





Technical Specifications

Weight (kg)	1580
Total Length	785 cm
Width (Net-Gross)	220/230 cm
Length (Net-Gross)	620/655 cm
Height (Net-Gross)	198/260 cm
Floor/Wall/Roof	42/32/32 mm
Table Size	80x90 cm
Fixed Bed Size	143x202 cm
Table Bed Conversion Size	140x210 cm
Bed Capacity	4

"Teknik veriler, paket ve opsiyonlara göre deęişkenlik gösterebilir. Arvi Karavan Sanayi A.Ş. Üretilen karavanların sürekli iyileştirilmesini amaçlar. Bu nedenle, açıklanan modelde deęişiklik yapma hakkını teknik ve/veya ticari nedenlerle saklı tutar. Daha fazla bilgi için Serm&Barr ile iletişime geçiniz."

S e r m & B a r r

xBarr

**THE MOST
EXCLUSIVE HOLIDAY...
WHEREVER
YOU WANT IT TO BE!**

OPTIONALS



ALDE

Natural heat circulation Self-convection technology. The hydronic heating has long-lasting heat and the convector system creates self-convection inside the vehicle. The components and system have been developed to operate in really harsh climates. It has passed rigorous cold room tests down to -35°C. Flexible energy source. The Alde system can run on LPG or electricity, or a combination of both.



MOVER

With the remote control you can intuitively control your caravan at the push of a button. Thanks to the soft start function, the caravan moves smoothly and only then does the speed increase. As soon as you release the control buttons, the caravan's brakes are activated. This guarantees maximum safety.



CASSETTE ROOF AWNING

An easy roller tube adjustment system ensures that the awning cassette closes perfectly, even after years of use. Universal roof awning in contemporary design.



AWNING TENT

Universal and compact awning tent with ultra-fast set-up.



MULTIFUNCTIONAL POWER SOCKET

Multifunctional sockets cover a wide range of applications and enable various devices to be connected. For example, a television can be connected to a caravan.

- Equipped with a 12 V DC socket and two SAT sockets.



COMBI

Enjoy double comfort with the Combi 4: space and water heating in one device. This saves space and weight in your caravan or mobile vehicle. A 10-litre water tank is integrated in the system, which is also heated in winter. In summer mode you can heat the water independently of the heater. The warm air flows into the vehicle interior via four air outlets, where it is optimally distributed to ensure a pleasant indoor climate. The combi heater is virtually silent and extremely economical to run. Your Combi 4 is conveniently controlled via the digital control panel. If your vehicle is also equipped with Truma air conditioning, you can select the automatic climate control option on the control panel. It automatically co-ordinates the combi heater and air conditioner and keeps your preferred temperature constant in all weather conditions.



GAS LEVEL METER

Check the gas level via Bluetooth



BICYCLE CARRIER

- Carrier can be expanded up to 3 bicycles.
- Designed for installation on A-Frame.
- One-hand operation and lockable platform



JOKON BRIDGE LIGHT

The innovative design of the L 50 Bridgelight allows customised dimensions in addition to the standard version. The homogeneously designed 'luminous surface' in combination with the variably mountable L 3600 multifunctional light gives the rear view of your vehicle a perfect expression.




EXTERNAL GAS RECEPTION POINT

- Safe gas tap holder
- Easy gas tap operation
- Safety valve



AIR CONDITIONING

Aventa Comfort quickly cools your vehicle to a pleasant temperature. The air is then purified and dehumidified at the same time, so that a pleasant room climate prevails even with small temperature differences. But this powerful air conditioning system offers you even more: It also acts as a heater. Thanks to the integrated heat pump, you can use it to heat your caravan or motorhome, especially in the intermediate seasons. Its operation remains highly energy efficient.



OVEN

- Made to fit refrigerators and makes the kitchen more complete.
- Extremely easy maintenance with removable front panel.
- Protruding or flush mounting.
- Easy freestanding installation.



STEP

Designed for easy entry. Concealment mechanism.



GREY WATER TANK

Ideal for camping, caravanning and recreation. Can be transported in any storage space.

- Easy to steer thanks to the pull-out carrying handle (up to 810 mm long)
- Easy to fill, empty and switch off



CITY MAINS WATER CONNECTION

With the mains water connection point, the water tank in the vehicle is supplied with water from the public mains. This ensures a permanent water supply beyond the capacity of the water tank integrated in the vehicle.



TV HANGER

- Three self-braking joints with adjustable inclination for easy viewing
- The support arm can be locked in place when the vehicle is moving



LITHIUM SMART BATTERY

- Bluetooth and Self-Heating for maximum performance in the cold.
- Ip67 Waterproof and Dustproof
- UL94 V-0 Flame Resistant Body
- 60+ BMS Protection and Active Backup Protection
- Wireless Update



BLUETOOTH MODULE

The Renogy BT-2 is the next generation Bluetooth module for select Renogy solar charge controllers, DC-DC battery chargers, smart lithium batteries and inverters. Powered by the RJ45 communication port, the BT-2 enables wireless monitoring of system data and allows users to change parameters via the Renogy DC Home smartphone App.



FULL SINE INVERTER

The Renogy 1000W Full Sine Inverter acts as a DC to AC converter allowing you to power your caravan tools.



BATTERY AND SOLAR CHARGER

With built-in Maximum Power Point Tracking (MPPT), the Renogy DC-DC Onboard Battery Charger provides 3-phase charging, charging your service batteries with maximum solar energy.



SLEEP AIR CONDITIONER

- The fan operates with the cover closed for air circulation (Ceiling Fan Mode)
- Brings in fresh air and removes hot mouldy air and odours
- Provides over 1 529.1 m³/s to keep you cool and comfortable
- Keypad controls fan speed, thermostat, air intake and/or exhaust functions
- Closes securely for a low-profile look



EXTERNAL SHOWER

The external shower set from the Reich brand is ideal for external shower connection in caravans. Your shower comfort increases thanks to the button where you can adjust hot and cold water. It is made of UV resistant ABS material and has stainless steel connection parts. Equipped with secure latch lock or alternative locking systems. Reich outdoor shower set offers a practical and safe outdoor shower experience in your caravan.



PREMIUM DELTA CHASSIS

- Maximum safety: in cornering driving swaying movements overtaking side wind and bridge in the wind
- Maintenance-free thanks to lifetime lubrication
- Very good self-damping; the suspension settles as quickly as possible, thereby increasing driving safety
- Serialised in almost all AL-KO chassis caravans, cannot be added as additional equipment
- Greater driving comfort and increased driving safety on a passenger car trailer
- Independent wheel suspension, each wheel springs separately



CARAVAN DRIVING CONTROL SYSTEM

With ATC, the AL-KO offers you an anti-skid system which, like the ESP in the vehicle, registers the pendulum movements of the caravan axle via the lateral acceleration sensor. The system registers a tolerance range for permissible transverse movements. When this range is exceeded, the system intervenes before the caravan starts to sway. The brake cables are pulled and this activates the wheel brakes. In this way, the vehicle extends and returns to the lane. Braking by the AL-KO Trailer Control is gentle, but the driver still feels it. Incidentally, the brake lights are not switched on.



AAA PREMIUM BRAKE

The AAA Alko Automatic Adjustment System is activated and re-adjusts when there is too much play in the brake. The wheel brake works normally and is only extended by the adjustment function. This shortens the braking distance and increases driving safety. The wheel brake is as reliable as usual at this stage: The robust system remains unchanged except for the readjustment function.



ANTI-THEFT LOCK

Safety Plus for the AKS 3004 stabiliser coupling offers good theft protection with high-strength steel and integrated puncture protection. The anti-theft system can be connected to the AKS 3004 both at standstill and while driving perfect for travelling.




PREMIUM SUPPORT WHEEL

With a load capacity of up to 300 kg, it is designed for heavy loads but is still easy to manoeuvre. The hand crank is easy to operate and can even be removed from some wheels. If you need to replace a wheel, for example because it is damaged, you can do it yourself. You do not need special tools or a trip to the workshop.



CARAVAN LEVEL WEDGE

It is a high performance leveling wedge for all types of caravans. It brings the tyres of your caravan to the desired level and balance at unstable levels, and it does this without abrading your tyres.




S e r m & B a r r

www.sermbarr.com

 [sermbarr](https://www.instagram.com/sermbarr)

 [sermbarrcaravan](https://www.facebook.com/sermbarrcaravan)

 [sermbarr](https://www.youtube.com/sermbarr)