





S e r m & B a r r

# XBBarr

***500 FUW***



# xBarr 500 FUW





## CHASSIS AND OUTER SHELL

- 1500 KG CHASSIS (AL-KO/KNOTT)
- ANTI-SLIP STABILIZER (AL-KO/KNOTT)
- SHOCK ABSORBER (AL-KO/KNOTT) 2 PCS.
- BRAKE COUPLING SYSTEM (AL-KO/KNOTT)
- PREMIUM CARAVAN SUPPORT FEET (AL-KO/KNOTT) 4 PCS.
- CARAVAN SUPPORT WHEEL 150 KG (AL-KO/KNOTT)
- 185/R14/C CARAVAN RIM TIRE
- ALUMINIUM FIBER INSULATED OUTER SHELL
- DYNAMIC LED SIGNAL SYSTEM (JOKON)
- FRONT TRUNK WITH PISTON



## WATER SYSTEM

- WATER FILLING POINT (ABL)
- CLEAN WATER TANK 70 LITRES (FIAMMA)
- CARAVAN SUBMERSIBLE PUMP SYSTEM (REICH/COMET)
- GRAY WATER WASTE SYSTEM
- HOT COLD CLEAN WATER SYSTEM



## FURNITURE AND FLOORING

- TELESCOPIC TABLE LEG (ILSE)
- CARAVAN FABRIC CURTAIN PACKAGE
- CARAVAN FABRIC PACKAGE
- DINING TABLE (FOR 4)
- ORTHOPAEDIC BED
- WET AREA FURNITURE (BATHROOM)
- CARAVAN TYPE LOCK SYSTEM
- CARAVAN FURNITURE ACCESSORY
- MARINE FLOORING MATERIAL
- HIGH DENSITY FLOORING AND FABRIC
- ACCORDION SEPARATOR CURTAIN SYSTEM
- PISTON FRENCH BED MECHANISM



## DOOR, WINDOW, HEKI, SERVICE COVER

- CARAVAN DOOR WITH FLY SCREEN (HARTAL/BERHIMI)
- HEKİ (MPK 50\*70) 1 PC.
- HEKİ (MPK 40\*40) 1 PC.
- CARAVAN WINDOWS WITH FLY SCREEN AND SUN SHADE (BERHIMI/JARUP)
- 600\*1250 MM 1 PC.
- 550\*1100 MM 3 PCS.
- 360\*720 MM 1 PC.
- 450\*500 MM 1 PC.
- REFRIGERATOR WINTER VENTS COVERS 2 PCS.
- SERVICE COVER 7 (THETFORD)



## ELECTRICAL AND LIGHTING SYSTEM

- CARAVAN CONTROL PANEL
- 13 PIN VEHICLE CONNECTION SOCKET (JOKON)
- 220 V ELECTRICAL INPUT POINT (ABL)
- 100A GEL LIFE BATTERY (DEEP CYCLE)
- BATTERY CHARGER
- FUSE BOX (220 V)
- FUSE BOX (12 V)
- MAIN SYSTEM CUTTER SWITCH
- CARAVAN SOCKET AND SWITCH SYSTEM
- MARINE ELECTRICAL CABLE SYSTEM
- SPOT AND LED LIGHTING SYSTEM
- HIGH HEAT AND IMPACT RESISTANT ELECTRICAL PIPE SYSTEM
- READING LAMP 2 PCS.



## KITCHEN

- 12 V CARAVAN REFRIGERATOR (150 LT- BERHIMI COLD 150)
- THREE-BURNER GAS CARAVAN COOKER
- TRIANGLE GLASS LID SINK (THETFORD BLACK)
- HOT-COLD SINK TAP (REICH/COMET)



## BATHROOM

- CASSETTE CARAVAN WC (THETFORD)
- SINK TAP HOT-COLD (REICH/COMET)
- SHOWER SET (REICH/COMET)
- FIBER BATHROOM SHOWER TRAY
- ALUMINIUM SHOWER CABIN DOOR
- CHROME BATHROOM SINK
- BATHROOM DOOR



## HEATING AND GAS SYSTEM

- CARAVAN GAS AIR HEATER (TRUMA COMBI 4)
- MONOCONTROL GAS REGULATOR (TRUMA/GOK)
- 3-WAY GAS VALVE (TRUMA/GOK)
- GAS FILTER (TRUMA/GOK)
- HIGH PRESSURE GAS HOSE (TRUMA/GOK)
- GAS ALARM DEVICE







## Technical Specifications

Weight (kg)	1290
Total Length	665 cm
Width (Net-Gross)	220/230 cm
Length (Net-Gross)	500/535 cm
Height (Net-Gross)	198/260 cm
Floor/Wall/Roof	42/32/32 mm
Table Size	75x85 cm
Fixed Bed Size	138x198 cm
Table Bed Conversion Size	135x210 cm
Bed Capacity	4

“Technical data may vary depending on packages and options. Arvi Caravan Industry Inc. aims to continuously improve its products. Therefore, it reserves the right to make changes to the described model for technical and/or commercial reasons. Contact Serm&Barr for more information.”




S e r m & B a r r

[www.sermbarr.com](http://www.sermbarr.com)

 [sermbarr](https://www.instagram.com/sermbarr)

 [sermbarrcaravan](https://www.facebook.com/sermbarrcaravan)

 [sermbarr](https://www.youtube.com/sermbarr)